

Attorney's Docket No. 017753-109

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:	)	
Marcelo LOPEZ LASTRA et al.	) Oroup Art Unit: 1636	
Application No.: 09/214,124	) Examiner: Quang Nguyen	# 16
Filed: March 17, 1999	) Confirmation No.: 5944	-1/
For: NOVEL INTERNAL RIBOSOME ENTRY SITE AND VECTOR CONTAINING SAME	) )	

## PETITION TO WITHDRAW HOLDING OF ABANDONMENT PURSUANT TO 37 C.F.R §1.181(a)

## **BOX PETITION**

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In response to the Notification of Abandonment dated August 24, 2002 (copy enclosed), Applicants hereby petition for withdrawal of the holding of abandonment for U.S. Patent Application No. 09/214,124. This petition is timely filed within two months of the mail date of the Notification of Abandonment. Pursuant to 37 C.F.R. §1.181, this petition does not require a fee.

Applicants submit that the holding of abandonment dated August 24, 2002 should be withdrawn for the following reasons. The Notice of Abandonment indicates that the captioned application was abandoned for Applicant's failure to file a timely response to an

Office Action mail dated January 28, 2002. Applicants submit that they never received the Office Action of January 28, 2002.

Pursuant to M.P.E.P. 711.03(c)(II), Applicants provide the following to show that the Office Action of January 28, 2002, was not received.

First, the undersigned Attorney of Record, Teresa Stanek Rea, hereby states that despite a search of the file jacket and the docketing records, there is no indication that the Office Action of January 28, 2002 was received by Burns Doane Swecker & Mathis, LLP. Attached hereto is a copy of the docket record of Burns Doane Swecker & Mathis, LLP for April 28, 2002, the three month due date for Reply to the Office Action of January 28, 2002. This docket report for April 28, 2002 shows no record of a Reply due to a Office Action for captioned Patent Application No. 09/214,124.

In further support, Applicants provide the docketing report of August 14, 2002, which notes that Patent Application No. 09/214,124 was docketed for a status check, as no Office Action had been received from the U.S. Patent and Trademark Office. Nancy Robins of Burns Doane Swecker & Mathis, LLP called Examiner Nguyen on August 30, 2002 to discuss the status of the patent application, and Examiner Nguyen made her aware of the Office Action of January 28, 2002 at that time.

Thus, Applicants submit that the Office Action of January 28, 2002 was never received, and therefore the holding of abandonment was improper.

Withdrawal of the holding of abandonment is respectfully solicited.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:

Teresa Stanek Rea Registration No. 30,427

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Date: October 10, 2002



## United States Patent and Trademark Office

APPLICATION NO.	FILING DATE	FIRST NAMED DUM	Washington, D.C. 20231	ATENTS AND TRADEMARKS
09/214,124 21839 7 BURNS DO	03/17/1999 590 08/24/2002 NE SWECKER & MAT BOX 1404	FIRST NAMED INVENTOR  MARCELO LOPEZ LASTRA	ATTORNEY DOCKET NO. 017753-109	CONFIRMATION NO. 5944
POST OFFICE ALEXANDRIA	BOX 1404 A, VA 22313-1404	OCT 1 0 2002 B	ART UNIT 1636 DATE MAILED: 08/24/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

OCT 1 0 2002

Application No. Applicant(s) 09/214,124 LOPEZ LASTRA ET AL. Examiner Art Unit Quang Nguyen, Ph.D.

Notic of Abandonm nt -- Th MAILING DATE of this communication appears on the cover sheet with the correspondence address--This application is abandoned in view of: 1. Applicant's failure to timely file a proper reply to the Office letter mailed on 28 January 2002. (a) A reply was received on \_\_\_\_\_ (with a Certificate of Mailing or Transmission dated \_\_\_\_ period for reply (including a total extension of time of \_\_\_\_\_ month(s)) which expired on \_\_\_\_ \_\_ ), which is after the expiration of the (b) A proposed reply was received on \_\_\_\_\_, but it does not constitute a proper reply under 37 CFR 1.113 (a) to the final rejection. (A proper reply under 37 CFR 1.113 to a final rejection consists only of: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114). (c) A reply was received on but it does not constitute a proper reply, or a bona fide attempt at a proper reply, to the nonfinal rejection. See 37 CFR 1.85(a) and 1.111. (See explanation in box 7 below). (d) No reply has been received. 2. 
Applicant's failure to timely pay the required issue fee and publication fee, if applicable, within the statutory period of three months (a) The issue fee and publication fee, if applicable, was received on \_\_\_\_\_ (with a Certificate of Mailing or Transmission dated ), which is after the expiration of the statutory period for payment of the issue fee (and publication fee) set in the Notice of Allowance (PTOL-85). (b) The submitted fee of \$\_\_\_\_ is insufficient. A balance of \$\_\_\_\_ is due. The issue fee required by 37 CFR 1.18 is \$\_\_\_\_. The publication fee, if required by 37 CFR 1.18(d), is \$\_\_\_\_. (c) The issue fee and publication fee, if applicable, has not been received. 3. Applicant's failure to timely file corrected drawings as required by, and within the three-month period set in, the Notice of (a) Proposed corrected drawings were received on \_\_\_\_\_ (with a Certificate of Mailing or Transmission dated \_\_\_\_\_), which is (b) \( \sum \) No corrected drawings have been received. 4. The letter of express abandonment which is signed by the attorney or agent of record, the assignee of the entire interest, or all of 5. The letter of express abandonment which is signed by an attorney or agent (acting in a representative capacity under 37 CFR 6. The decision by the Board of Patent Appeals and Interference rendered on \_\_\_\_ and because the period for seeking court review 7. The reason(s) below: Ms. Nancy Robins phoned Examiner on 8/14/02 to inform Examiner that Applicants have not received the Office Action mailed on 1/28/02, therefore no Response has been filed (more than 6 months since the mailing date of the last Office Action). Therefore, the application has been technically abandonned. Examiner suggests Applicants to DAVE T. NGUYEN PRIMARY EXAMINER

Petitions to revive under 37 CFR 1.137(a) or (b), or requests to withdraw the holding of abandonment under 37 CFR 1.181, should be promptly filed to U.S. Patent and Trademark Office

PTO-1432 (Rev. 04-01)

2 Ext/1 Mnth	2 E)		Notice of Appeal	A Dispenser For Cold Drinks		
5 Ext/1 Mnth	Ül Qı	0	Appeal Brief Due	ERATION FILED 4/8/02		28 Sun BSDAVI W/
3 Ext/1 Mnth	3 [H	0	Response to OA		003300-619 D	28 Sun BSD/WLW/
None		0	SC - Office Action		003250-224 A	28 Sun RLG/KBL/SJT
				Method and Device for Transdermal Electrotranso	000951-091 N	28 Sun RGM//
None			SC - 1st OA	Methods And Apparatus For Improving Adaptive Application was filed 5/27/99	040070-217 N	
None		0	SC - 1st OA			
1 Ext/1 Mnth		N	Response to OA	ment in a Radio System		27 Sat RLG/MDR/
None		0	Req 30 Mo Instruct	Time Synchronization Of Radio Networks FILE PCT 30 MO NATIONALS DUE 7/27/02	040020-335	
None		<b>o</b> ·	Req 30 Mo Instruct	Method and System for Power Control Order Mes FILE PCT 30 MO NATIONALS DUE 6/27/02	040010-892	
None		0	SC - 1st OA	Methods and Apparatus for Allocating Uplink Com STATUS LETTER REPLY RECVD 07/19/01	040010-445.001	27 Sat RLG/MGS/
None		0	Req 30 Mo Instruct	A Method and Apparatus for Efficient Transmit	040000-853	47 Sat KLG/SWP/MEO
None		0	SC - 1st OA		040000-822	
None	-	0	Search Report copy	Grace period until 10/1/02 but first Acceptance date in this case is 4/27/02 - Final is 1/27/03	6 1000 CTE	
None	<b></b>	ω	Response to OA	Multiple Light Light Base Stations	040000-642	27 Sat RLG/KBL/AJB
9 Ext/1 Mnth		0	The Acceptance Date	Multiple Hyperhand Makin Parago Glaudis	040000-642	27 Sat RLG/KBL/AJB
None	on .	თ	Response to OA	Multiple Hyperband Mobile Base Stations	040000-642	27 Sat RLG/KBL/AJB
None	0	•	овагат көрөп сору	Grace period until 10/1/02 but first Acceptance date in this case is 4/27/02 - final is 1/27/03	040000-641	27 Sat RLG/KBL/AJB
9 Ext/1 Mnth		_	Scarch Based	Multiple Hyperband Mobile Base Stations	040000-641	27 Sat RLG/KBL/AJB
None	0	_	The Acceptance of the Acceptan	Multiple Hyperband Mobile Base Stations	040000-641	27 Sat RLG/KBL/AJB
AVAILABLE		ЕХТ	S CION	Channelization Code Allocation TRADEMARK	040000-635	April continued 27 Sat RLG/KBL/PLC
Page 9	29/02 CURRENT	CURF		SLIENT REGISER	REFERENCE#	DUE PARA
					Docket	Urgent Global Docket
						-

None	0	Status Check		ered-	On-Site Generation of Ultra-High-Purity Buffered- Jeff Wendt is handling	010499-243 On-Si Jeff N	
None	СЛ	Assignment Due	a nd 1/15/02. Ext. 1 mo.	tures. Reminder sent client 12/26/01a nd 1/15/02.	Assignment doc. sent TI for inventors signatures.		28 Sin F16/108/
3 Ext/1 Mnth	8	SC -File Application		al fun	IC Test Software System for Mapping Logical fun	014823-123 IC Te	28 Sun REK/KS/ 0
				V V	Ink Jet Receiving Layer With Good Durability	013450-326 Ink Je	23 Sun NHS/EJG/— 0
None	0	SC - 1st OA		os in a	Eco Cancellation Device for Cancelling Echos in a Application was filed 7/28/00	012050-065 Eco ( Appli	28 Sun RLG/MGS/MJC (
None	0	SC - Filing Receipt		:t And	Image Processing Device, Program Product And Application was filed 6/28/01	011350-278 Imag <i>Appl</i>	
None	0	SC - 1st OA			Application was filed 7/28/00	Аррі	
3 Ext/1 Mnth	0	Response to OA			Laser Irradiation Apparatus	011350-258 Lase	28 Sun PNM/MLS/
None	} 	File Con/Div Appin		mino	Method, Instrument And System For Performing	008788-030 Met	28 Sun WCR//
3 Ext/1 Mnth					Twin-Hulled Vessel with Variable Widths	007413-044 Twir	28 Sun JWP/DRH/
None	0	Status Check			Digital Media Rack	007198-453 Digi	.28 Sun JAL//
		2		factant	Enhanced Oil Recovery Method Using Surfactant	005952-105 Enh	28 Sun TGD/EJG/
5 Ext/1 Mnth	0	Missing Parts (2 Mo)		Fischer	Preparation of High Octane Alkylate from Fischer DECLARTION DUE		
None	0	Not. Of Appeal/Amend		Stor Have	or o	005050-724	28 Sun TGD/EJG/GFI
None	0	Publication Fee Due			High Level of Basic Fibroblast Growth Factor have	004973-077; Hig	28 Sun RDH/MAD/PFH
None	0	Issue Fee Due		Control	System for Characterizing a Computer to Control	004900-157 Sys	28 Sun RES//
2 Ext/1 Mnth	_	Nonce of Appear		Control	System for Characterizing a Computer to Control	004900-157 Sy	28 Sun RES//
2 Ext/1 Mnth		Notice of Association Resp		3ranulati	Device for Homogenizing, Mixing and/or Granulati	004640-026 De	28 Sun PCK//
		1		Granulati	Device for Homogenizing, Mixing and/or Granulati	004640-026 De	28 Sun PCK//
None	0 6	SC - 1st OA			Low-Temperture Appartus Application was filed 9/28/00	004501-434 Lo Ар	28 Sun RSS//
1	>	Response to OA			Horizontal-Axis Electrical Machine	004501-423 Ho	28 Sun RSS/EPS/
None	0	Action Needed	for	or recordal of transfer to Nicholas Bodor	Brain-Specific Drug Delivery PADEWARD REMINDER - POA required for request for recordal of transfer to Nicholas	003800-134 B <sub>I</sub> R <sub>I</sub>	28 Sun MKB//
T EXT AVAILABLE	CURRENT EXT	ACTION	REG/SERIAL#	CLIENT	2007 - 2 TON	- }	
Page 10	1/29/02	Printed: 4/26/02 Through: 4/29/02	Printe	08	ner	REFERENCE# TI	ATTY1/ATTY2 DUE PARA
				<b>s</b> 7	OIPE	Docket	Urgent Global Docket

				:			
None	0	SC - Cert Correction		Request for Certificate of Correction was filed 9/28/01	Request for Certificate o	•	
8 Ext/1 Mnth	3 8E	SC -File Application			lise of Silica as Assatt	022701-811	2₃ Sun NHS/TSR/
8 Ext/1 Mnth	3 81	SC -File Application			N/A	021238-501	29 Sun PKS/WLW/
1 Ext/1 Moth	2	Notice of Appeal			N/A	021238-500	28 Sun PKS/WLW/
1 Ext/1 Mnth	2	Plating of A		Method and Apparatus for Applying Material to a	Method and Apparatus	021238-329	28 Sun PKS//
None	=======================================	SC -File Application		Method and Apparatus for Applying Material to a	Method and Apparatus	021238-329	28 Sun PKS//
2 Ext/1 Mnth	1 2	Inf Disclosure Stmt			Condellsate Condenser	021238-277	28 Sun PKS//
				Process for Producing Polymer Fine Particles and	Process for Producing	019519-344	28 Sun PNM/RGM/
None None	0 0	SC - 1st OA		Lithographic Printing Plate Support and Lithograp  Application was filed 9/28/00	Lithographic Printing Plate Si Application was filed 9/28/00	019519-269	28 Sun PNM/RGM/
3 Ext/1 Mnth		Cor of Nic of Books		aphic Printing Plate	Heat Sensitive Lithographic Printing Plate	019519-248	28 Sun PNM/RGM/
		Approx		NO.	Preparation of Emulsions	019230-044	28 Sun EJG//
None None	OI C	Missing Parts (2 Mo)		Novel Cephalotaxane Derivatives and Process for BASIC FILING FEE DUE	Novel Cephalotaxane Dei BASIC FILING FEE DUE	017753-113	28 Sun NHS/TSR/DHY
3 Ext/1 Mnth		Check for Invitation		sceiver Packaging	Low Cost MMW Transceiver Packaging	017750-740	28 Sun PCK//
None	<b>.</b>	Issue ree Due			Hacksaw Frame	016901-122	28 Sun RLG/WLW/
None	0	Issue Fee Due		UV-Photoprotecting of DibenzoyImethane Sunscr	UV-Photoprotecting o	016800-420	28 Sun NHS/KLW/
				UV-Photopretecting W/O Emulsions Comprising	UV-Photopretecting V	016800-417	28 Sun NHS/KLW/
None None	0 -	SC - Cert Correction		Apoptosis Inducing Adamantyl Derivatives and th Request for Certificate of Correction was filed 9/28/01	Apoptosis Inducing A Request for Certificat	016800-255	28 Sun NHS//-
	•	Response to OA		Anhydrous Sunscreen/Cosmetic Compositions Co		016800-098.001	28 Sun NHS/MXM/—
None	0 1	SC - 1st OA		An Antenna Device and Mobile Communications  Application was filed 8/28/00	An Antenna Device, and Mob  Application was filed 8/28/00	016660-054	70 3011 JALV/
1 Ext/1 Moth	N <sub>.</sub>	Response to OA		Ozone Bleaching of Low Consistency Pulp Using	Ozone Bleaching of	016499-883	28 Sun EJG//-
None	0	Status Check		For Controlled Belivery Of Li	System And Method For Controlls Have we received the patent yet?	016499-450	28 Sun EJG/JDB/
EXT AVAILABLE	CURRENT EXT	ACTION	REG/SERIAL#	CLIENT		יאבי בואבואיטבי	
Page 11	/29/02	Printed: 4/26/02 Through: 4/29/02	Printed	OCT 1 0 2002 8	. 1		ATTY1/ATTY2
				0100		l Docket	Urgent Global Docket

None		c	-				
None		· -	Status Check		Rechargeable battery pack w/identification circuit,	027540-517	23 Sun RLG/MGS/MJC
		,	Status Check		Prioritization between handoff and new call reque	027500-494	28 Sun RLG/MGS/
None		0	SC - 1st OA		Application was filed 8/28/00	i	
None		0	Publication Fee Due		Test Mode Setting Circuit Onting Co.	027260-392	28 Sun PNM/CFW/
None		0	Issue Fee Due		Probe Stylus	027260-301	28 Sun PNM/CFW/
None ,		0	Formal Drawings Due		Probe Stylus	027260-301	28 Sun PNM/CFW/
			**	בוסיים בר ו ובבטי	Probe Stylus	027260-301	28 Sun PNM/CFW/
None .			SC -File Application	THIS APPLICATION RE EII EDO	THIS APPLICATION HAS BEEN ON THE DOCKET SINCE 04/28/99 - WILL		
1 Ext/1 Moth	1 Ex	Ν	Notice of Appeal		Mothodo & D. T. Company of a Plank	026579-277	.28 Sun GFS//
1 Ext/1 Mnth	1 Ex	N	Responsé to OA		A Method to Promote Growth of State		28 Sun RGM/MKM/JAT
<u>.</u>		,			DNA Gramost Description	026350-020	28 Sun RGM/MKM/NEK
3 Ext/1 Mnth	ა ლ	0 0	Response to OA (1Mo)		Ionization Chamber, Measuring Sequence for the RESPONSE TO INFORMALITY RE PAYMENT OF FEE	025219-352	28 Sun REK/KS/—
		,	Recognition		Forsythia Plant Named 'Courdijau"	025200-041	28 Sun BSD//
5 Ext/1 Mnth	-	0	Missing Parts (2 Mo)		Powder Compacting Tool  DECLARATION DUE	024944-160	28 Sun RLG/MLS/
None .		0	Appeal to Court		Method for surface treatment of aluminum alloy hing on appeal per CHJ 4-11-02 e-mail	024703-006	28 Sun JWP/AEK/CHJ
None	_		Req Reconsideration	The Bank and the second	No appeal per CHJ 4-11-02 e-mai	•	•
None	_	: 0	File Appln - 30 Mo			, 024703-006	28 Sun JWP/AEK/CHJ ; 024703-006
None	;	0	Formal Drawings Due		•	.024445-050	28 Sun RLG/SWC/-
None		0			Tool for Chip Removing Machilining	024444-808	28 Sun RLG/AEK/
2 Ext/1 Mnth	1 2				Tool for Chip Removing Machilining	024444-808	28 Sun RLG/AEK/
					Tool for Drilling/Routing of Printed Circuit Board	/C 024444-757	28 Sun RLG/WCR/SWC
None .	0	6	SC - 1st OA		Display Optical System  Application was filed 1/28/00	024060-119	20 SUIT FRANCEW/
EXT AVAILABLE	Z	CURRE	ACTION	REG/SERIAL#			300
Page 12	1	Through: 4/29/02	Printed: 4/26/02 Through	Printed	TITLE / MARK	2 REFERENCE#	ĄTTY1/ATTY2 DUE PARA
	I		,		O P P	l Docket	Urgent Global Docket
							•

				•	
O fived Math	<b>o</b>	· SC -File Application	N/A	032535-039 N	28 Sùn JWP/WLW/
None	0	Decision Petition?	What's the status of the protest under 37 CRR 1.291(a)?		
4 Ext/1 Mnth	7 ,	SC -File Application		032410-024	28 Sun CFW//
2 Ext/6 Mnth	0	Annuity Due		032390-030 N	28 Sun AXW//
1 Ext/6 Mnth	0	Amuly Due		032390-022 N	28 Sun AXW//
1 Ext/1 Mnth	N	Appuits Des	Method and Apparatus for Electromagnetic Expos	032390-021 N	28 Sun AXW//
		of Disclosure Start	Transparent and/or Translucent Card	032326-180	28 Sun JAL//
4 Ext/1 Mnth	<b>-</b>	Corr. Appl. Papers	Core-Sheath Glass Fibers Substitute Drawings due	032264-006.001	28 Sun EJG//
None	0	Status Check	Time Switch Last response was filed 7/7/99	031310-026	28 Sun WCR//
None	Ο,	SC - 1st OA	Application was filed 9/28/00		
3 Ext/1 Mnth	0	Inf Disclosure Stmt	Three Dimensional Inc. Division Divisio		28 Sun PNM/JAL/
1 Ext/1 Mnth	N	Inf Disclosure Stmt	GaN Series Surface-Emitting   asser Diodo Laving	030681-357	28 Sun CFW//
			Magnetic Head	030681-337	28 Sun CFW//
None	<b>o</b>	SC - 1st OA	Radio Frequency Circuit Module Application was filed 6/28/00	030675-044	28 Sun PNM/CFW/
5 ExV1 Mnth	0	Missing Parts (2 Mo)	BASIC FILING FEE, DECLARATION & ENGLISH TRANSLATION DUE		
4 Ext/1 Mnth		Appeal Brief Due	Injection Molding Mathod	030673-132	28 Sun WCR//
None	0	File Appln - 30 Mo	Jet Printing Ink and Ink Jet Recording Method	030662-047	28 Sun PNM/JDB/WH
2 Ext/1 Mnth		Inf Disclosure Stmt	title	030560-058	28 Sun RLG/DMM/
2 Ext/1 Mnth	-	III Disclosure Stmt	Setting a System for Assembling Mail Pieces	029150-118	28 Sun RLG/MLS/
2 Ext/1 Mnth	ω	Appeal Brief Due	Catalyst Formulation Comprising Ceramic Foam	028650-064	28 Sun ALW/EJG/
			Resin Composition and Laminate for Storage of Li	027650-958	28 Sun MLS/RGM/
None	0	Status Check	Method & apparatus for continuous in Request for examination was filed 4/28/00	027650-479	28 Sun RSS/MLS/
AVAILABLE	CURRENT EXT	ACTION	CLIENT REG/SERIAL#		1
Page 13	29/02	Printed: 4/26/02 Through: 4/29/02	Printed OCI 1 0 2002 &	2 REFERENCE#	ĄTTY1/ATTY2
1			OIPE	l Docket	Urgent Global Docket

S EXV I MAIN	Ü.	c					· .	•
	) 1		Response to OA			A Gladiolus Hybrid Plant 'Palampur Princess'	033166-008 /	28 Sún NHS/BSD/
None		ruct 0	Req 30 Mo Instruct			Improved Inhibition of Graft Versus Host Disease FILE PCT 30 MO NATIONALS DUE 7/28/02	033136-191	28 Sun GFS/MXM/DMG
5 Ext/1 Mnth	<b>с</b> я П	(2 Mo) 0	Missing Parts (2 Mo)			Safety Intravenous Set BASIC FILING FEE & DECLARATION DUE	032959-036	28 Sun CFW//
None		Strnt 3	Inf Disclosure Stmt			Method And System For Transmitting Data Fax enclosing IDS information rec'd 3/22/02	032927-017.001	28 Sun RLG/KBL/
None		ceipt 0	SC - Filing Receipt			Method And System For Transmitting Data Application was filed 9/28/01	002327-017.001	
9 Ext/1 Mnth	9	cation 2	SC -File Application			Combined Regulation of Neurogenesis		.28 Sun RLG/KBL/
Ext/1 Mnth		cation 4	SC -File Application			Regulation of Neural Stem Cells by Anti-IGF Antib	032901-049	28 Sun MAD/PFH/
7 Ext/1 Mnth			SC -File Application			Modulation of Neurogenesis Via Systemic Routes	032901-025	28 Sun MAD/PFH/
1 Ext/1 Moth		Strnt 2	Inf Disclosure Stmt			Solution For Keeping MG (Media Gateway) When,	032868-006.001	28 Sun RLG/MGS/
None	5	ication 0	SC -File Application		IT INSTRUCTIONS	NIA FILE APPLICATION BY THIS DATE PER CLIENT INSTRUCTIONS	032842-088	28 Sun PCK//
None			SC -File Application		IT INSTRUCTIONS	FILE APPLICATION BY THIS DATE PER CLIENT INSTRUCTIONS		
3 Ext/1 Mnth	0 3		Response to OA			N/A	032842-087	28 Sun PCK//
3 Ext/1 Mnth	0 3		Response to OA			Novel Human Genes of Chromosome 11g13 3	032796-053	28 Sun TSR/MXM/JFW
1 Ext/1 Mnth	2		Response to OA			Novel Human Genes of Chromosome 11q13.3	032796-046	28 Sun TSR/MXM/CLN
						Novel Urea Compounds, Compositions and Meth	032740-004	28 Sun GFS/MMH/
None	0		Action Needed			send assignment;	201111	2
2 Ext/1 Mnth	<u> </u>	e Stmt	Inf Disclosure Stmt		A	Apparatus for Rendering in Parallel A	032722 402	28 Sun PNM/WLW/_
7 Ext/1 Mnth	4	olication	SC -File Application			Method and Apparation 6- The Land	032658-019	28 Sun KBL//
3 Ext/1 Moth	0	ion Resp	Final Rejection Resp			Calibration Method	032631-027	28 Sun REK/AJJ/
3 Ext/1 Mnth	0	opeal	Notice of Appeal	EMA		Read-Only Laminated Information Recording Med	032590-026	28 Sun REK/KS/
AVAILABLE	1			CIC!	E CALLE	Read-Only Laminated Information Recording Med	032590-026	28 Sun REK/KS/
EXT	CURRENT	CUF	ACTION	0 2002 8 REG/SERIAL#	CLIENT 2007 1	TITLE / MARK	REFERENCE#	April Continued
Page 14	2	Through: 4/29/02	Printed: 4/26/02					ΙĻ
				IPM	0		Docket	Urgent Global Docket
							-	<b>∮</b>

1 Ext/1 Mnth	2 1E	Inf Disclosure Stmt	(US).	-		
None	0	Article 19 Amend Due				29 Mon REK//
				Permissible Operating Mode Determination in a D	040071-744	28 Sun RLG/KBL/
None	0	Req 30 Mo Instruct		Low-Distortion Driving Amplifier FILE PCT 30 MO NATIONALS DUE 7/28/02	040071-541	28 Sun RLG/KBL/EME
None	0	Req 30 Mo Instruct	inal	FILE PCT 30 MO NATIONALS DUE 7/28/02		
None	0	Req 30 Mo Instruct	SV.	System and Make J. C. D	040071-539	28 Sun RLG/KBL/
1 Ext/1 Mnth	2	Inf Disclosure Stmt		Method and Apparatus for Estimation of Phase Of	040071-484	28 Sun RLG/MGS/SJT
1 Ext/1 Mnth	2	Inf Disclosure Stmt		Methods and Apparatus for Channel Estimation U	040071-245	28 Sun RLG/MGS/TXT
None	0	SC - 1st OA	erforming Slot Hoppi CVD 07/19/01	1 Methods and Apparatus for Performing Slot Hoppi STATUS LETTER REPLY RECVD 07/19/01	040010-414.001	28 Sun RLG/MGS/
None	O	SC - 1st OA	easuring Control Ca	Methods and Apparatus for Measuring Control Ca Application was filed 12/28/99	040010-413.001	28 Sun RLG/KBL/MJC
None	0	SC - 1st OA	aintaining Sequence	Application was filed 9/28/00		
3 Ext/1 Moth	0 3	Inf Disclosure Stmt	Spanis Spanis	Method And Apparatus For Mo	040000-567	28 Sun RLG/SWP/-
1 Ext/1 Mnth		Inf Disclosure Stmt	emants	Male Genitals Protecting Undernants	033494-006	28 Sun CFW//
2 Ext/1 Mnth		Int Disclosure Stmt	n	On-Board Fuel Inering System	033490-002	28 Sun AEK/AJJ/
				Table	033434-002	28 Sun RLG/WCR/
None	0	SC - 1st OA		Application was filed 4/28/00		
3 Ext/1 Mnth	0	Inf Disclosure Stmt	Burse his suitenant	Storage Device	033428-005	28 Sun PCK/JPO/
3 Ext/1 Mnth	0	Inf Disclosure Stmt	onness his einenhaut	Vorrichtung zur Generatordiagnose bie einschauf	033275-341	28 Sun RSS/MDR/
	•		lem	01 Compressed Air Energy System	033275-256.001	28 Sun RSS//
None	0	SC - 1st OA		Measuring Sensor Positioning Application was filed 9/28/00	033275-162	28 Sun RSS//
4 Ext/1 Mnth	-	Missing Parts (2 Mo)	J.	Process for Converting Heavy Hydrocarbon Feed DECLARATION DUE	W 033259-026	28 Sun TGD/EJG/MLW
EXT AVAILABLE	CURRENT EXT	ACTION	C1 1 0 2002	# IITLE / MARK	ZerezeNCE#	
Page 15	/29/02	Printed: 4/26/02 Through: 4/29/02	0610	Í	i	ATTY1/ATTY2

Urgent Global Docket

None	0	SC - Prosecution	S		-	
None	0	SC - Prosecution	S	BĻU-116	017750-624	14 Wed FGM/ALW/ (
3 Ext/1 Mnth	0	Final Rejection Resp		BLU-116	017750-623	14 Wed FGM/ALW/
3 Ext/1 Mnth	0	Notice of Appeal		Use of a Hist	016800-438	14 Wed NHS/MAB/
None	0	Suggest Use Commence	Use of a Histamine Antagoinist, An Interleukin-1	Use of a Hist	016800-438	
None	0	Suggest Use Commence		LES & Design	016241-138	14 Wed RLG/ALW/KZ
None	0	Suggest Use Commence		LES NOUVELLES	016241-137	14 Wed RLG/ALW/KZ
3 Ext/1 Mnth	0	Inf Disclosure Stmt		LES	016241-136	14 Wed RLG/ALW/KZ
1 Ext/6 Mnth		Annuity Due	ncemi	Server Auto	009683-402	14 Wed PNM/JAL/
3 Ext/1 Mnth	0	Final Rejection Resp		Apparatus a	008450-011	14 Wed MLS//
3 Ext/1 Mnth	0	Notice of Appeal		Mixed Olefir	008111-055	14 Wed RDH/NDP/
None	0	SC - Prosecution	Mixed Olefin Polymerization Catalysts, Processes	Mixed Olefi	008111-055	14 Wed RDH/NDP/
			MIRROR-IMPACT-TECHNOLOGY	MIRROR-IN	007919-064	14 Wed RLG/ALW/
None	0	Opp Filing Deadline	Possible against COTTONELLE in Barbados No. 856	Possible ag		
5 Ext/1 Mnth	თ	SC -File Application	Possible Opposition+	Possible O	006600-242	14 Wed GAH/ALW/
5 Ext/1 Mnth	6	SC -File Application	Use of Pout Point Depressants, heated fuel filters	Use of Pou	005950-778	14 Wed TGD/EJG/SFP
None	0	SC - Prosecution	Removal of Feed Contaminants from Fischer Tro	Removal o	005950-776	14 Wed TGD/EJG/SFP
None	0	SC - Prosecution	Z	CAROLON	005300-047	14 Wed ALW//
None	0	Foreign Filing Due	2	CAROLON	005300-043	14 Wed ALW//
			Method For Operation A Charger For A Voltage-M A	Method Fo	004501-568	14 Wed RSS//
3 Ext/1 Mnth None	0 0	Action Needed	System and Method for Electronic Storage and R Reminder - Form 1 and POA needed	System a Reminder	003670-097	14 wed MGS//PMY
	•	Notice of Appeal	Method For Making Sintered Products and Metal	Method F	003300-609	14 Wed BSD/PKS/
None	0	Notice of Appeal Due	ER ALW I	FILING F	1	
≷	EXT	ACTION	He MADEMARK	PIOKPEN	028443-049	August '02 11 Sun ALW//-
Page	B/15/02 CURRENT	Inrough: 8/15/02	区I 1 0 2007	# TITLE / MARK	REFERENCE#	DUE PARA
					POCVEL	A COUNTY TO CACL

•	. 14 Wed BPL// 0:	14 Wed PNM// 0	14 Wed CFW// 0	14 Wed FWH//	14 Wed TSR//XXX	14 Wed RDH/EMD/			14 Wed RLG/SWC/	14 Wed CHJ//	14 Wed CHJ//	14 Wed CHJ//	14 Wed CHJ//	14 Wed CHJ//	14 Wed CHJ//		14 Wed RDH/MKM/BWW 021565-008.001	14 Wed ALW//	14 Wed TGD//	14 Wed PNM/RGM/	August continued 14 Wed PNM/RGM/	DUE PARA	Urgent Global Docket
•	030821-079 C	030682-107 In	030681-380 Li	030601-162 V	029402-275 V	028723-225 (	024444-592		024444-505	023890-097	023890-096	023890-095	023890-094	023890-093	023890-092		W 021565-008.001	021310-036	020327-023	019519-356	018995-437	2 REFERENCE#	d Docket
Chimir or Design	Application was filed 2/14/01; NOT IN PAIR. PLEASE DO A STATUS	Image Processing Apparatus For Correcting Cont	Linear Acturator Using Two Rotors	WORLDSPACE	Water-Enhanced Production of 1,1,1,3,3-Pentachi V	Cloned Glumatic Acid Decarboxylase Final Rejection	Method of Making Cemented Carbide By Powder  ROOM 12C07 CRYSTAL GATEWAY 2: 9:00AM  1225 JEFFERSON DAVIS HIGHWAY ARLINGTON, VA 22202	ROOM 12C07 CRYSTAL GATEWAY 2; 9:00 AM 1225 JEFFERSON DAVIS HIGHWAY ARLINGTON, VA 22202	Ferrilic Stainless Steel Alloy and Its Use as a Sub	Fluid Injection Microvalve	Capillary Interconnect Device	Microvalve	High Pressure Capillary Connector	Edge Compression Manifold Apparatus	Micromanifold/Septum Assembly	Adams' reply brief to our opposition; Our reply to Adams' opposition to our motion to suppress; and Our opposition to Adams' motion to suppress			Single and Multi-Layer Variable Protection Device	Radical Polymerizable Compound	Concentrated Dampening Water Composition for	TITLE / MARK	
Re		2	.80	V												ss; and				ADEMIS	G REG/SERIAL#		OIPE
Renewal Due	SC - 1st OA	Inf Disclosure Stmt	SC - Certificate Reg	Verify Designations		Response to OA	Oral Hearing Date	Oral Hearing Date	SC -File Application	SC -File Application	SC -File Application	SC -File Application	SC -File Application	SC -File Application		Action Needed	Foreign Filing Due	Annuity Due	Inf Disclosure Stmt	Response to OA	ACTION	Printed: 8/14/02 Through: 8/15/02	
0 16	0	0 3	0	0		<b>0</b>	0	0	И	<b>G</b> 1	თ	(J)	ъ	<b>C</b> 1		0	0		2	N	EXT	8/15/02	
1 Ext/6 Mnth	None	3 Ext/1 Mnth	None	1 Ext/1 Mnth	+ L>2	nyli Mar	None	None	6 Ext/1 Mnth	6 Ext/1 Mnth	6 Ext/1 Mnth	6 Ext/1 Mnth	6 Ext/1 Mnth	6 Ext/1 Mnth		None	None	5 ExV1 Mnth	1 Ext/1 Mnth	1 Ext/1 Mnth	AVAILABLE	J.	

. ATTY1/ATTY2			Printed:	Printed: 8/14/02 Through: 8/15/02	15/02	Page 3
DUE PARA	REFERENCE#	TITLE / MARK	CLIENT ( OCT 1 0 2002 H)		CURRENT	EXT
August continued 14 Wed BPU/	031006-007	IMPEDIAL DISCOURTS OF THE PROPERTY OF THE PROP	314°	ACTION	EXT	<b>}</b>
		Petition to amend bases filed 5/14/02 do we have a decision yet?		Decision on Petition	0	None
14 Wed BPL//	031392-000	CAVED-(S)				
14 Wed BPL//	031786-020	RB-51		Renewal Due	0	1 Ext/6 Mnth
14 Wed RHM/BNI/	032058-124	GYNAZOI E 1		SC - Certificate Reg	` O	None
		PER BNI 2/28/02 DOCKET 1 MO EOT REQUESTI DOCKET A REQUEST FOR A 1 MO EOT ON 5/25	Off Action Resp Due  OFF ACTION TO 3/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BIN 3/28/02	Off Action Resp Due	0 R BNI 4/74/0	None
14 Wed CAL/HCT/	032219-054	TROPIAN	O Definition of the second of	1 8/5/02	;	ì
14 Wed CAL/HCT/	032219-054	TROPIAN		ITU Extension Due	0	None
14 Wed BNI//	032256-003	TERCEM 3000		Statement of Use Due	<b>-</b>	4 Ext/6 Mnth
		1st EOT filed 2/13/02 2nd EOT filed 7/30/02		Statement of Use Due	_	4 Ext/6 Mnth
14 Wed EJG//	032264-084.001	Glass Compositions for Ultrafine Fiber Formation				
14 Wed EJG//	032264-085.001	Glass Compositions for Ultrafine Fiber Formation		Inf Disclosure Stmt	8	1 Ext/1 Mnth
14 Wed RLG/KBL/	032287-004	Device for Protecting an Electronic Apparatus		iii Disclosule Stifft	N	1 Ext/1 Mnth
·		Application was filed 7/14/99 Rovd status ltr reply 3/6/01; PER PAIR 5/13/02 APPLICATION ASSIGNED 5/13/02	SC - 1st OA  OLICATION ASSIGNED TO EXAMINER 10/6/00. SENT A COPY OF THE PAIR REPORT TO KBL ON	SC - 1st OA  COPY OF THE PAIR REPOR:	0 1 ТО КВL О	None
14 Wed PNM/CFW/	032404-012	System and Method of Automatically Receiving T		Notice of Appear	,	:
14 Wed BJB/WLM/MKM	032477-017	Comparative Fluorescence Hybridization to Nuclic		Appeal Brief Deal		3 Ext/1 Mnth
14 Wed PCK//	032553-025	N/A		Appeal bite! Due		1 Ext/1 Mnth
		FILE APPLICATION BEFORE 8/15/02 PER CLIENT INSTRUCTIONS		File Application	0	None
14 Wed RLG/AJJ/	032631-030 N	N/A		SC -File Application		
14 Wed KBL//	032658-024	The Processing Architectures	o	- Spinoanon	11	11 Ext/1 Mnth
14 Wed KBL//	032658-025 L	Lookup Engine		Int Disclosure Stmt	ယ	None
14 Wed PNM/WLW/AEK	032722-592 N	N/A		Inf Disclosure Stmt	ω	None
	7	This has been on the docket since 9/14/01; Will we be filing?		SC -File Application	10	1 Ext/1 Mnth
14 Wed RDH/SMD/	ىل 032730-001 يا	James J. Hogan v. Donald L.N. Cardy		Status Check	0	None

3 Ext/1 Math	o အ	Response to OA	R		A	Carron Car Cita Medica For Forming A Support	•	•
None	0	Article 19 Amend Due	. A		_	poport Bar And Mathad For Family Octeanon of	000400-804 St	15 Thu PNM// 00
						Reestablishment of Connectrion and Detection of	060000-114 Re	14 Wed RLG/MGS/ 0
None	0	File Utility Appln	F	UCTIONS	i CLIENT INSTRU	Mobile Terminal for Optimal Spectrum Utilization i FILE UTILITY APPLICATION BY THIS DATE PER CLIENT INSTRUCTIONS	040071-975 M FI	14 Wed RLG/KBL/PLC 0
None	0	SC - 1st OA	S	SON (	EASE DO A STAT	Tuning The Fingers Of A Rake Receiver  Application was filed 2/14/01; NOT IN PAIR. PLEASE DO A STATUS		
None	0	SC - Office Action	(0)		V?	HAVE WE RECEIVED A NEW OFFICE ACTION?		
9 Ext/1 Mnth	8	SC -File Application				An Arrangement Relating to Conductor Carriers a	040050-024 A	14 Wed RLG/MGS/SJT (
9 Ext/1 Mnth	N	SC -File Application			g.	Efficient Arithmetic in finite Fields of Odd Charact	040001-178 E	14 Wed RLG/SWP/DHP
					ct	Efficient Arithmetic in finite Fields of Odd Charact	040001-177 E	14 Wed RLG/SWP/DHP
10 Ext/1 Mnth	Ν	SC -File Application			Ct	Efficient Arithmetic in finite Fields of Odd Charact Received Disclosure (Revision B) 8/22/01	040000-793 E	14 Wed RLG/SWP/DHP
1 Ext/1 Mnth	0	File Con/Div Appln			Dia	13C Glucose Breath Test for the Diagnosis of Dia MAD handling	033537-028	** WED WAD/GMY/
1 Ext/1 Mnth	10	SC -File Application			ill we be filing?	This has been on the docket since 9/14/01; Will we be filing?		
						N/A	033528-004	14 Wed PNM/WLW/
5 Ext/1 Mnth	0	Missing Parts (2 Mo)			c	A Cellular Phone Holder Capable of an Electric Consciention & Filing fee due	033494-014	14 Wed CFW//
None	0	SC - Office Action		STATUS	lavi R. <i>PLEASE DO A S</i>	Last response was filed 1/14/02; NOT IN PAIR. PLEASE DO A STATUS		_
None	0	File Application			, 9	CLIENT WANTS APPLICATION FILED ASAP,	033428-007	14 Wed PCK/CAL/
		!				N/A	033136-308	14 Wed GFS/DMG/
None	0	File Application				CLIENT WANTS APPLICATION FILED ASAP		
3 Ext/1 Mnth	0	Response to OA				N/A	033136-307	14 Wed GFS/DMG/
None	_	File Con/Div AppIn				Methods for Screening Compound Libraries	032978-052	14 Wed GFS/WHB/BEM
•	į	!			Dim	Sensing and Balancing Currents in a Ballast Dim	032755-002	14 Wed JWP/PCK/DLM
None	0 THE PAIR	Status Check ECEIVE IT. SENT COPY OI	ILED. WE DID NOT RE	& TRADEMACKED	Comp 2/02 A FAVORABL	Defective Adenoviruses and Corresponding Comp  Check status of suspension; PER PAIR 6/12/02 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO SMD.	032751-016	14 WEG NHS/TSR/SMD
AVAILABLE	EXT	ACTION	REG/SERIAL#	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CLIENT			August continued
P	8/15/02	Printed: 8/14/02 Through: 8/15/02		DCT 1 0 7007	2	TITLE / MARK	REFERENCE#	DUE PARA
				OIPE			Docket	Urgent Global Docket

15 Ihu WCRJGKL (		PKS/JWP/			15 Thu EJG//			15 Thu GAH/ALW/	15 Thu TGD/WHB/BEM	15 Thu NHS/TSR/	15 Thu BSD/WLW/	15 Thu GFS//	15 Thu JWP/JAL/KS	15 Thu JWP/JAL/JPO	15 Thu ALW//		15 Thu RLG/KBI /_	August continued 15 Thu RLG/MGS/	DUE PARA	Urgent Global Docket
015291-072 Ca	015290-612 N. Fi	015290-546 T F	013450-391 G	013400-175 F	013400-173	008111-117		006600-242	005950-735	004900-213	003300-747	002010-675	001580-768	001580-399	001575-053	000000-277		000500-203	REFERENCE#	Docket
Coated Gypsum Board Products and Method of M (Comments regarding Abstract due	NIA FILE UTILITY APPLICATION BY THIS DATE PER CLIENT INSTRUCTIONS	Turnable Multi-Zone Gas Injection System FOREIGN FILING DUE 10/15/02	Glossy Ink Jet Medium Cannot extend	Process and Apparatus for Making Sheet of Fiber DECLARATION, SUBSTITUTE DRAWINGS DUE	Non-Woven Fiber Webs with Nylon Binder  DECLARATION DUE	Polyolefin Catalysts	Possible against COTTON CARE in Graece - No. 155520	Possible Opposition	Higher Diamondoid Modified Surfaces	Use of Strains of Streptococcus Thermophilus whi	Respiratory Filter	3 (Heteroaryl) Alanine derivatives-Inhibitors of Leu	Method and System for Color Matching Between	Persistent State Database for Operating System	The AES Corporation vs. Association of Energy S  Ext to 5/15/02 EXT. TO 6/15/02 PER FLORID: FOR TO THE TOTAL PROPERTY.	H2 Sleep Interactions  Petition to correct inventorship under cfr 1.48(d) and statement in support thereof filed.	® Switched Traffic Capacity 10/15/99	CEICHITY	001 1 0	OIPE
A														TO 9/15/02	Sieus Was filed 5/16/02	State		REG/SERIAL#	Printed	
Action Needed	File Application	Ask Client re FF	Resp to Written Opn	Missing Parts (2 Mo)	Missing Parts (2 Mo)	AC CONTRACTOR	Opp Filing Deadline	SC -File Application	Inf Disclosure Stmt	Cor of Ntc of Record	Resp to Written Opn	Response to OA	Response to OA		702	Decision Petition ?	SC - 1st OA	ACTION	Printed: 8/14/02 Through: 8/15/02	
0	0	0	0	<u>.</u>	<b>→</b> 0		0	10	<b>N</b>	0	0	0	N	ú	o	0	0	EXT	8/15/02	
None	None	None	None	4 ExV1 Mnth	None 4 Ext/1 Mnth		None	1 Ext/1 Mnth	1 Ext/1 Mnth	None	None	3 Ext/1 Mnth	1 Ext/1 Mnth	r ext 1 Minth	П 1	None	None	AVAILABLE	٦	

10 Ext/1 Mnth	_	OCT THE Application		•	•
10 Ext/1 Mnth	-	SC -File Application	NIA	021238-539	15 Thu PKS//
10 Ext/1 Mnth	- <b></b>	SC -File Application	N/A	021238-538	15 Thu PKS// (
10 Ext/1 Mnth		SC -File Application	NIA	021238-537	15 Thu PKS//
9 Ext/1 Mnth	8	SC -File Application	NA	021238-536	15 Thu PKS//
9 Ext/1 Mnth	. 10	SC -File Application	N/A	021238-522	15 Thu PKS//
9 Ext/1 Mnth	2	SC -File Application	N/A	021238-521	15 Thu PKS//
9 Ext/1 Mnth	, N	SC -File Application	N/A	021238-520	15 Thu PKS//
8 Ext/1 Mnth	·ω	SC -File Application	N/A	021238-519	15 Thu PKS//
None	~	File Application	NIA	021238-517	15 Thu PKS//
None	0	SC - Corrected FR	NIA	021238-515	15 Thu PKS/EXB/
2 Ext/1 Mnth	_	iii visciosure Stmt	Attitude Changing Device for Chip Parts	018976-140	15 Thu PNM/EME/
Ì		To Discharge Control of the Control		018773-033	15 Thu PNM/RSJ/EME
None	0	SC - Office Action	Last response was filed 11/15/01; PER PAIR 6/13/02 APPI ICATION WAS ASSOCITED TO THE PAIR 6/13/02 APPI ICATION WAS A	1	The second secon
			New Internal Ribosome Entry 612-13702	017753-109	15 Thu NHS/TSR/
None	0	Response to OA	Title - classified  PETITION FILED TO RESCIND THE RESTRICTION REQUIREMENT OF SEPT 26 FILED 03/10/03	017750-557	15 Thu PCK/SWC/RJM
None	0	Status Check	Process for Imparting High Strength, Ductility and Have we received the Patent?	017750-514	10 TCV
3 Ext/1 Mnth	8	Missing Parts (2 Mo)	PROVISIONAL COVER SHEET		An H
3 Ext/1 Mnth	0	rillal Rejection Resp	Procede De Purification De La 7a- Hydroxy-Dehy	016800-492	15 Thu NHS//
3 Ext/1 Mnth	0	Rind District	Hydroxystibene Compounds For Reducing/Inhibiti	016800-387	15 Thu NHS//
1 Ext/1 Mnth	2	Nesponse to CA	Hydroxystibene Compounds For Reducing/Inhibiti	016800-387	15 Thu NHS//
		Description of the control of the co	Bradykinn Antagonists Comprising Rosaceae Pla	016800-236	15 Thu NHS/GFL/
None	0	SC - 1st OA	Methods And Apparatus For Measurement Of LC  Application was filed 11/15/00; NOT IN PAIR. PLEASE DO A STATUS.	016660-061	15 Thu JAL//
AVAILABLE	EXT	ACTION	CLIENT		August continued
, p	: 8/15/02	Printed: 8/14/02 Through: 8/15/02	TITLE / MARK CLIENT ( OCT 1 0 2002 O	REFERENCE#	DUE PARA
			0197	Docket	Urgent Global Docket

None	0	Corrected Assign Due	·		DC/DC Converters	027557-075 Do	• ************************************
None	0	Status Check			Method & System for Desychronizing Overhead M Status letter sent 4/4/00 & 1/15/01		2
None	0	Status Check	(0		Last response was filed 1/15/01		
3 Ext/1 Mnth	0	Inf Disclosure Stmt	9		Enhanced Sleep Mode in a Radiocommunication	027555-077 E	15 Thu RLG/MGS/
None	ω	Response to OA			Semiconductor Device Having A Semiconductor	027260-537 S	15 Thu PNM/EME/
None	0	PCT 20 Mo Nationals			Semiconductor Integrated Circuit with Test Pads f	027260-269 S	15 Thu PNM/EME/
None	=======================================	SC -File Application			Processes for the Preparation of Gal(1->4)b-Gal(	026579-446 F	15 Thu GFS/MAD/
					Ophthalmic lenses	025265-204 (	15 Thu JWP/CHJ/
3 Ext/1 Mnth 4 Ext/1 Mnth	<b>-</b> 0	Missing Parts (2 Mo)			Computer Program Product And A Carrier For Su DECLARATION DUE	024944-166	10 Inu RLG/AEK/
					Polyurethane Adhesive for Windsheild Application	024910-014.001	15 Inu BJB/MLW/
None	0	SC - Office Action		.EASE DO A STATUS.	Last reponse was filed 11/15/01; NOT IN PAIR. PLEASE DO A STATUS.		
3 Ext/1 Mnth	0	Final Rejection Resp			Method and Manufacture of a Wound Dressing (	024637-124	15 Thu RGM//
3 Ext/1 Mnth	0	Notice of Appeal			Austenitic Alloy	024444-937	15 Thu RLG/SWC/
					Austenitic Alloy	024444-937	15 Thu RLG/SWC/
None	0	Action Needed			LAST DAY TO REVIVE APPLICATION		
3 Ext/1 Mnth	0	Notice of Appeal			PRECISION TWIST DBILL & Applica	024001-408	15 Thu RLG/ALW/
None	ω	Final Rejection Resp			In-Vacuum Exposure Shutter	023890-031	15 Thu CHJ//
					Aqueous Emulsions of Oils and/or Preferably Mas	022701-643	15 Thu NHS/MLW/
None	0	File Con/Div AppIn			FILE DIVISIONAL APPLICATION (022702-009)		
None	ω	Notice of Appeal			Aqueous Emulsions of Oils and/or Brotonski.	022701-643	15 Thu NHS/MLW/
3 Ext/1 Mnth	0	Response to OA			Aqueous Emulsions of Oils and/or Preferably Mas	022701-643	15 Thu NHS/MLW/
10 Ext/1 Mnth		SC -File Application			Production Of Heated Windows	021500-118	15 Thu SCM/MLS/
10 Ext/1 Mnth	_	SC -File Application			N/A	021238-541	15 Thu PKS//
AVAILABLE	EXT	i ci		ADEMARY.	N/A	021238-540	15 Thu PKS//
EXT	CURRENT		REG/SER		TITLE / MARK	REFERENCE#	DUE PARA
Page 7	8/15/02	Printed: 8/14/02 Through: 8/15/02		8		2	ATT
				OIPE		ıl Docket	Urgent Global Docket

8 Ext/1 Mnth	ယ 8	SC -File Application		,	
None	0	Action Needed	Antibacterial Lincosamide Analogues	032740-016	15 Thu GFS/JLH/MMH
None	0	Off Action Resp Due	Sensing Elements and Methods for Uniformly Ma	032722-096	15 Thu PNM/WLW/BOS
č			CHRONOPASS	032401-041	15 Thu ALW//
None	0	SC - Filing Receipt	Application was filed 1/15/02		
None	1	SC -File Application	Method for Improving the Bode	032326-194	15 Thu JAL//
None	12	Petition to Revive	NIA	032326-190	15 Thu JAL//
None	0	SC - Pros Suspended	Dynamic Data Interpretatin Method for a Chip Car	032326-044	15 Thu JAL//
7 Ext/1 Mnth	4	SC -File Application	XESS	032287-016	15 Thu RLG/ALW/
None	0	SC - SOU Approval	Aryl-Nitrone Compounds and Methods of Use as	032277-031	'15 Thu WHB/JLH/
None	•		VBOX	031994-018	15 Thu JPO/HCT/
None	o <u>.</u>	Renewal Due	Frank Sever, Jr. V. Morton G. Glickman et al  Plaintiff must designate all trial experts and provide opposite course.	/ 031507-026.001	15 Thu RDH/WCR/RDV
Š	•	" BEEN REACHED??		031067-000.168	15 Thu BPL/BNI/
None None	0 0	SC - Status Check	Ceramiche Gardenia Orchidea S.p.A.(opposer) vs STIPULATED REQUEST FOR SUSPENSION OF OPPOSITION ET ED COUTES	820-176060	!
	<b>&gt;</b>	SC - Pros Suspended	16	030977-028	15 Thu BP∐/
None	0	SC - Prosecution	CI ASSIC CORY	030821-184	15 Thu BPL//
3 Ext/1 Mnth	0	Inf Disclosure Stmt	MISCELLANEOUS DESIGN	030794-084	15 Thu BPL//
2 Ext/1 Mnth	_	Inf Disclosure Stmt	Evaporator of CPL Cooling Apparatus Havino Fin	030681-390	15 Thu CFW//
3 Ext/1 Mnth	0	Inf Disclosure Stmt	Micro Structure for Vertical Displacement Detectio	030681-375	15 Thu CFW//
3 Ext/1 Mnth	0	Inf Disclosure Stmt	Method for Purifying-5'-Protected Thymidines and	029430-515	15 Thu RGM//
7 Ext/1 Mnth	c	rawings	Agricultural Composition	029430-514	15 Thu RGM//
1 Ext/1 Mnth	4 0	Appeal Brief Due Resp to Invitation	Accurate Battery Voltage Measurement System f Power of Attorney and Formal Drawings due:	028877-076	15 Thu KS//
5 Ext/1 Mnth	6	SC -File Application	Methods for Eradication of Nanobacteria	028753-028.001	15 Thu TSR/DHY/
AVAILABLE	EXT	L# ACTION	7 0 2002	- 028750-225	August continued 15 Thu TSR/DMM/
<sub>P</sub>	V15/02	Printed: 8/14/02 Through: 8/15/02	TITLE / MARK	Y2 REFERENCE#	DUE PARA
			010	al Docket	Urgent Global Docket

TIMATIV2  ARA  REFERENCE#  TITILE / MARK  DICT 1 9 2002  AND  AND  AND  THAN  REFERENCE#  TITILE / MARK  DICT 1 9 2002  AND  THAN  REFERENCE#  TITILE / MARK  DICT 1 9 2002  THAN  THAN  REFERENCE#  TITILE / MARK  THAN  REFERENCE#  TITILE / MARK  DICT 1 9 2002  THAN  THAN				•	ı	•
International Docket	4 ExV1 Mnth		Missing Parts (2 Mo)			٠
International Docket	None	0	SC - Office Action			15 Thu CFW//
ANTITIZE MARK  AREFERENCES TITLE / MARK  AREFORMAN AREFERENCES TITLE / MARK  AREFORMAN	3 Ext/1 Mnth		Response to OA			15 Thu WCR// (
MATTIZE	4 Ext/1 Mnth	7	SC -File Application	Traction Control System for a Rail Vehicle		15 Thu RSS//
INATIVE   TITLE / MARK   DET 1 0 2002	4 Ext/1 Mnth	7	SC -File Application	Mammalian Cell Surface Antigens: Related Reag	)33347-005	15 Thu MAD/PFH/
IUATIV2   ACTION   EVALUATION	3 Ext/1 Mnth	0	Response to OA	Mammalian Cell Surface Antigens; Related Reag	033347-004	15 Thu MAD/PFH/
INATITY2   REFERENCE#   TITLE / MARK   DCI   1 0 0000	None	0	Status Check	Roof Step System	033319-004	15 Thu CBR//
ATTY2   REFERENCE# TITLE / MARK   DCT   D.000	6 Ext/1 Mnth	თ	SC -File Application	Vaccines Raising an Immunological Response Ag	033303-014	715 Thu SEC//
TITLE   MARK   DET   10 2007	None	0	Notice of Appeal Due	Compositions Containing Aromatic Aldehydes an	033277-030	15 Thu WHB//
ATTY/I/ATTY2   REFERENCE#   TITLE / MARK   DCT   D 2002	None	0	Final Rej Resp Due	ROYAL DOULTON & Design	033276-001	15 Thu BPL//
REITL GIODAI Docket  ATTY/IATTY2 PARA REFERENCE# TITLE / MARK PRINCE STREAM DOT 1 0 2002  PARA REFERENCE# TITLE / MARK  OTHER DOT 1 0 2002  PARA REFERENCE# TITLE / MARK  OTHER DOT 1 0 2002  PARA REFERENCE# TITLE / MARK  OTHER DOT 1 0 2002  PARA REFERENCE# TITLE / MARK  OTHER DOT 1 0 2002  PARA REFERENCE# TITLE / MARK  OTHER DOT 1 0 2002  PARA RESTICT Require 30 0  SC -File Application 10  SC -File Application 3 8  SC -File Applica	None	0	Issue Fee Due	ROYAL DOULTON & Design	033276-001	15 Thu BPL//
RETERENCE# TITLE / MARK DICT 1 0 2002  ATTY/I/ATTY2 REFERENCE# TITLE / MARK DICT 1 0 2002  PARA REFERENCE# TITLE / MARK DICT 1 0 2002  INCOMPRISE DICT 1 0 2002  Restrict Require-30 O  SC. File Application 10 SC.	Non	0	Publication Fee Due	Electric Machine	033275-194	15 Thu RSS//
RETERINGE# TITLE / MARK  OCT 1 0 2002  PARA  ACTION  EXT  U PKS/  DRIVING Size Controlled Temperature Profile Capilla  PKS/  DRIVING Size Control for Condensation Aerosols P  SC -File Application  SC -F				Electric Machine	033275-194	15 Thu RSS//
RETT (SIODBAIL Docket  ATTY INATTY 2 PARA  REFERENCE# TITTLE / MARK  DOT 1 0 2002  DOT 1 0 2002  DIT 1 0 2002  Restrict Require-30  SC -File Application  SC -Fi	Non	0	Status Check	Request for Examination was filed 10/15/99		
PARTA TOD/DRH/ 032994-047 Subcutaneous injection Set Tubing Will Scheme B SC-File Application 10 PRS// 033018-111 N/A  PRS/S// 033018-111 N/A  EME// 033018-113 N/A  EME// 033018-125 Endothelial Lining Effects and Treatment of Vaso GFS/MLS/AJJ 033136-279 Apparatus and Process for Conditioning Organic Controllor Organic Conditioning Condition	Non	0	Filing Details	Method for Removing Sulfur to Ultra Low Levels f	033259-020	15 Thu TGD/EJG/
REFERENCE# TITLE / MARK  OCT 1 0 2002  DUT 1 0 2002  REFERENCE# ACTION  CURRENT  EXT  CANDEMAN  Restrict Require-30  SC -File Application	3 Ext/1 Mn	0	Response to OA	Apparatus and Process for Conditioning Organic	033136-279	15 Thu GFS/MLS/AJJ
ATTY2 AA REFERENCE# TITLE / MARK  OLT 1 0 2002  OLT 1 0 20	3 Ext/1 Mn	0	Response to OA	Endothelial Lining Effects and Treatment of Vaso		15 Thu GFS/MXM/DMG
OFFERENCE# TITLE / MARK A REFERENCE# TITLE / MARK OCT 1 0 2002  III  III  III  III  III  III  I	8 Ext/1 Mn	ω	SC -File Application	Semiconductor Light Emitting Device and Manufa	033022-004	15 Thu EME/
A REFERENCE# TITLE / MARK  OCT 1 0 2002  A REFERENCE# TITLE / MARK  OCT 1 0 2002  A REFERENCE# TITLE / MARK  OCT 1 0 2002  A REFERENCE# TITLE / MARK  O32994-047 Subcutaneous Injection Set Tubing Wiff Sovent B  O33018-084 Concentric Controlled Temperature Profile Capilla  O33018-110 Particle Size Control for Condensation Aerosols P  O33018-111 N/A  OCT 1 0 2002  OC	8 Ext/1 Mn	ω	SC -File Application	N/A	033018-113	15 Thu PKS//
Printed: 8/14/02 Through: 8/15/02  REFERENCE# TITLE / MARK  OCT 1 0 2001  REFERENCE# TITLE / MARK  OCT 1 0 2001  REFERENCE# TITLE / MARK  OCT 1 0 2001  REFERENCE# TITLE / MARK  O32994-047 Subcutaneous Injection Set Tubing With Solvent B  O33018-084 Concentric Controlled Temperature Profile Capilla  O33018-110 Particle Size Control for Condensation Aerosols P	7 Ext/1 Mr	4	SC -File Application	N/A	033018-111	15 Thu PKS//
DET 1 0 2002  A REFERENCE# TITLE / MARK  Printed: 8/14/02 Through: 8/15/02  A REFERENCE# TITLE / MARK  PRINTED TO 2002  A REFERENCE# TITLE / MARK  PRINTED TO 2002  A REFERENCE# TITLE / MARK  PRINTED TO 2002  A REFERENCE# TITLE / MARK  CURRENT  EXT  O33018-084 Concentric Controlled Temperature Profile Capilla  O13018-084 Concentric Controlled Temperature Profile Capilla	1 Ext/1 Mr	10	SC -File Application	Particle Size Control for Condensation Aerosols P	033018-110	15 Thu PKS/EXB/_
Al Docket  OLF COLOR DOLLAR CURRENT  OS2994-047 Subculaneous Injection Set Tuking MADEMARK  OLF TO 2002  DUI 1 0 2002  DUI 1 0 2002  DUI 1 0 2002  Printed: 8/14/02  Printed: 8/14/02  Through: 8/15/02  CURRENT  EXT  OS2994-047 Subculaneous Injection Set Tuking MADEMARK  OR ADEMARK	5 Ext/1 M	0	Restrict Require-30	Concentric Controlled Temperature Profile Capilla	033018-084	15 Thu PKS//
PARA REFERENCE# TITLE / MARK 2007 1 0 2002		EXT		Injection Set Turking TADEMARK	032994-047	August continued 15 Thu TGD/DRH/
O P M	1	3/15/02	d: 8/14/02	TITLE / MARK	1	DUE PARA
					l Docket	Urgent Globa

Urgent, Global Docket	Docket	010			
ATTY1/ATTY2 DUE PARA	REFERENCE#		Printed: 8/14/02 Through: 8/15/02	8/15/02	Page 10
August continued		CLIENT	ACTION	CURRENT EXT	EXT AVAILABLE
7 E O O E C O A A A A A A A A A A A A A A A A A A	033558-005	Tissue Dispenser (15 mths = 9/18/02)	Resp to Invitation	0	1 Evil Mail
15 Thu CFW//	033563-001	Production Method of a-Methylene-y-Butyrolacton		•	י ראס ואווונו
15 Thu RLG/MGS/WXR 040000-386.001	040000-386.001	Combined Hybrid Automatic Retransmission Req	Inf Disclosure Stmt	N	1 Ext/1 Mnth
		The sering retained by BUSM to prepare response	Notice of Appeal	0	3 Ext/1 Mnth
ž	040000-386.001	Combined Hybrid Automatic Retransmission Req.  File being retained by BDSM to prepare response	Final Rejection Resp	0	3 Ext/1 Moth
15 Thu RLG/SWP/	040010-814	Bearer Independent Signaling Protocol			
15 Thu RLG/MGS/WNH 040060-117	040060-117	N/A	Response to OA	0	8 Ext/1 Mnth
15 Thu RLG/KBL/SWP	040070-025	Frequency Hopping Piconets In An Uncoordinated	SC -File Application	4 7	7 Ext/1 Mnth
		Issue fee was paid 11/15/01 PER PAIR 5//16/02 APPLICATION SENT TO PUBLICATION 4/2/02	SC - Issue Notify	0	None
ဂ	040070-549	HOP Sequence Adaption in a Frequency-Hopping Application was filed 10/15/99 STATUS LETTER REPLY 09/27/01	SC - 1st OA	0	None
15 Thu RLG/MGS/	040071-122	Method And Apparatus For Extimating a Frequen			
15 Thu RLG/KBL/PWM 050000-617		Dual Mode Radio Receiver for Receiving Narrow-	Status Check	0	None
		Power of Attorney for Sweden due	Power Attorney Due	0	None

END OF REPORT

TOTAL ITEMS SELECTED = 184